

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	((off or power) with (commercial or ad or advertisement) with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 09:20
S1	4	((("6698020") or ("6751800") or ("5734853") or ("4857999")).PN.	USPAT	OR	OFF	2006/05/09 11:37
S2	1072	(725/32-36).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 09:56
S3	7	S2 and (resum\$3 with (off or power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:02
S4	15	(vod or (video adj on adj demand)) and (resum\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:03
S5	3	S2 and (resum\$3 same (power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:02
S6	28	(vod or (video adj on adj demand)) and (resum\$3 same power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:05
S7	8	(vod or (video adj on adj demand)) and (resum\$3 same (turn\$3 adj off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:06

EAST Search History

S8	23	((("5093921") or ("5155591") or ("5216515") or ("5233423") or ("5446919") or ("5515098") or ("5532735") or ("5559548") or ("5661516") or ("5600364") or ("5600573") or ("5659350") or ("5740549") or ("5774170") or ("6002393") or ("4602279") or ("4635109") or ("4864429") or ("5162905") or ("5652615") or ("5805974") or ("6064376") or ("6177931"))).PN.	USPAT	OR	OFF	2006/05/09 11:53
S9	4	("5652613" "20020073426").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:10
S10	14	("5223924" "5444499" "6002393" "6298482" "6401179" "6473129" "6507950").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:10
S11	7	("5223924" "5444499" "6002393" "6298482" "6401179" "6473129" "6507950").PN.	USPAT	OR	ON	2006/05/09 14:54
S12	549	(725/32).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 16:41
S13	2	("6028632").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 16:41
S14	30	"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 off) or (turn\$3 near2 off)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:45
S15	18	"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 off) or (turn\$3 near2 off))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51

EAST Search History

S16	2	"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 down) or (sleep\$3))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S17	1	"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 sav\$3))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S18	0	"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 outage))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S19	0	"725"/\$.ccls. and (restart with ((power\$3 near2 outage))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S20	0	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 outage))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S21	0	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 outage))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S22	0	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 sav\$3))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S23	0	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 down) or (sleep\$3))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51

EAST Search History

S24	7	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 off) or (turn\$3 near2 off))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:52
S25	0	"725"/\$.ccls. and (play\$3 with "same" with point with ((power\$3 near2 off) or (turn\$3 near2 off))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:53
S26	21687	"725"/\$.ccls. (power adj outage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:53
S27	132	"725"/\$.ccls. and (power adj outage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:53
S28	64	"725"/\$.ccls. and (power adj outage) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:53
S29	5	"725"/86-104.ccls. and (power adj outage) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:17
S30	124	"725"/86-104.ccls. and ((power\$3 or turn\$3) near2 (off or out)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:17
S31	114	"725"/86-104.ccls. and ((power\$3 or turn\$3) near2 (off)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:18

EAST Search History

S32	10	"725"/86-104.ccls. and (((power\$3 or turn\$3) near2 (off)) with automatic\$5) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:26
S33	6	"725"/86-104.ccls. and (resum\$3 near3 automatic\$5) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:26
S34	2777	(power with (interrupt\$3) with (resum\$3 or restart\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:49
S35	1576	(power with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:49
S36	6	(power with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:50
S37	3	(off with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:52
S38	11	((off or power) with (commercial or ad or advertisement) with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:53
S39	13	((off or power) with (video) with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:58

EAST Search History

S40	13	S39 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:53
S41	1	((off or power) with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201" and 725/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:00
S42	3	((off or power) with (resum\$3 or restart\$3)) and @ad<"20000201" and 725/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:01
S43	185	((off or power)) and @ad<"20000201" and 725/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:01
S44	5	((off or power) with interrupt\$3) and @ad<"20000201" and 725/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:03
S45	54	((turn\$3 or power\$3) near3 (off or down)) and @ad<"20000201" and 725/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:13
S46	94	(interrupt\$3 with (replay\$3 or resum\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:16
S47	5	(interrupt\$3 with (replay\$3 or resum\$3 or restart\$3)) and @ad<"20000201" and "725"/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:14

EAST Search History

S48	18	((interrupt\$3 with (record\$3 or stor\$3) with (replay\$3 or resum\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:16
S49	14	((interrupt\$3 with (replay\$3 or resum\$3 or restart\$3)) same (power or off)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:19
S50	0	(forc\$3 with (power or off) with (automatic\$5)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:20
S51	358	((power or off) with (automatic\$5)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:20
S52	8	((power or off) with (replay\$3 or restart\$3 or resum\$3) with (automatic\$5)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:20
S53	2027	(power\$3 with (automatic\$5 or (auto adj matic\$5)) with (resum\$3 or replay\$3 or restart\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:51
S54	983	(power\$3 with (automatic\$5 or (auto adj matic\$5)) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:51
S55	13	(power\$3 with (automatic\$5 or (auto adj matic\$5)) with (commercial or video or ad or advertisement) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:52

EAST Search History

S56	3	(power\$3 with (automatic\$5 or (auto adj matic\$5)) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:55
S57	9	(power\$3 with (time or point or instant) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:57
S58	36	(power\$3 with (time or point or instant) with (commercial or video or ad or advertisement) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:57
S59	185	(toshihiro near1 takagi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:52
S60	185	(toshihiro near1 takagi).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:55
S61	2	(toshihiro near1 takagi).in. and (delimit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:55
S62	66	(toshihiro near1 takagi).in. and predetermin\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:56
S63	5	(toshihiro near1 takagi).in. and (nishida near1 yusuke).in. and (ishihara near1 kazuhide).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:57

EAST Search History

S64	16	@ad<"20000201" and "725"/\$.ccls. and (forc\$3 with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:15
S65	0	@ad<"20000201" and "725"/\$.ccls. and (((power near2 (off or loss or lose or losing)) with (resart\$3 or replay\$3 or beginning) with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:18
S66	0	@ad<"20000201" and "725"/\$.ccls. and (((power near2 (off or loss or lose or losing)) with (resart\$3 or replay\$3 or beginning)) same (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:17
S67	0	@ad<"20000201" and "725"/\$.ccls. and (((power near2 (off or loss or lose or losing)) same (resart\$3 or replay\$3 or beginning) same (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:17
S68	0	@ad<"20000201" and "725"/\$.ccls. and (((power) with (resart\$3 or replay\$3 or beginning)) same (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:17
S69	3	@ad<"20000201" and "725"/\$.ccls. and (power near2 (off or loss or lose or losing)) and ((resart\$3 or replay\$3 or beginning) with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:20
S70	0	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) with (beginning or start) with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:20
S71	4	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22

EAST Search History

S72	19	@ad<"20000201" and "725"/32-36. ccls. and (resart\$3 or replay\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:25
S73	0	@ad<"20000201" and "725"/32-36. ccls. and ((resart\$3 or replay\$3) with (start\$3 or beginning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22
S74	0	@ad<"20000201" and "725"/32-36. ccls. and ((resart\$3 or replay\$3) same power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22
S75	6	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) near3 (beginning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:28
S76	0	@ad<"20000201" and "725"/\$.ccls. and (((resart\$3 or replay\$3) near3 (beginning)) same (automatic\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:28
S77	16	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) near3 (start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:30
S78	1	@ad<"20000201" and "725"/\$.ccls. and (((resart\$3 or replay\$3) near3 (start\$3)) same (automatic\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:28
S79	3	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) with (interrupt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:31

EAST Search History

S80	0	@ad<"20000201" and "725"/32-36.ccls. and ((resart\$3 or replay\$3) same (interrupt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:31
S81	80	@ad<"20000201" and "725"/32-36.ccls. and ((interrupt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:32
S82	4	@ad<"20000201" and "725"/32-36.ccls. and ((interrupt\$3) with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:33
S83	110	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:33
S84	21	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3) with (video))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:37
S85	3	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3) with automatic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:34
S86	2	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3) with play\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:35
S87	41	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3)) and (ad or advertis\$5 or commercial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:43

EAST Search History

S88	16	@ad<"20000201" and "725"/\$.ccls. and (((interrupt\$3) near3 (restart\$3 or (re adj start\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:46
S89	0	@ad<"20000201" and "725"/\$.ccls. and (((interrupt\$3) near3 (restart\$3 or (re adj start\$3))) same power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:43
S90	32	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (restart\$3 or (re adj start\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:55
S91	2	@ad<"20000201" and "725"/\$.ccls. and (interrupt\$3 with (restart\$3 or (re adj start\$3)) with (begin\$4 or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:47
S92	16	S90 not S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:48
S93	246	@ad<"20000201" and "725"/86-104.ccls. and ((interrupt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:55
S94	26	@ad<"20000201" and "725"/86-104.ccls. and ((interrupt\$3) with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:04
S95	0	@ad<"20000201" and "725"/\$.ccls. and (automatic\$5 with (present\$3 or play\$3 or replay\$3) with forc\$3 with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:05

EAST Search History

S96	0	@ad<"20000201" and "725"/\$.ccls. and (automatic\$5 with (present\$3 or play\$3 or replay\$3) with forc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:04
S97	28	@ad<"20000201" and "725"/\$.ccls. and (automatic\$5 with (present\$3 or play\$3 or replay\$3) with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:16
S98	1	@ad<"20000201" and "725"/\$.ccls. and ((present\$3 or play\$3 or replay\$3) with (beginning or start\$3) with forc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:17
S99	14	@ad<"20000201" and "725"/\$.ccls. and ((present\$3 or play\$3 or replay\$3) with forc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:19
S10 0	38	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:19
S10 1	32	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3) and (replay\$3 or restart\$3 or beginning or start\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:20
S10 2	2	@ad<"20000201" and "725"/32-36. ccls. and ((forc\$3) same (replay\$3 or restart\$3 or beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:20
S10 3	1	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3).ti. and (replay\$3 or restart\$3 or beginning or start\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:21

EAST Search History

S10 4	0	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3) and ((replay\$3 or restart\$3) with beginning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:21
S10 5	5	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3) and ((replay\$3 or restart\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:22
S10 6	83	@ad<"20000201" and "725"/32-36. ccls. and (interrupt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:22
S10 7	0	@ad<"20000201" and "725"/32-36. ccls. and ((interrupt\$4) same restart\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:23
S10 8	8	@ad<"20000201" and "725"/32-36. ccls. and ((interrupt\$4) same resum\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:24
S10 9	2	@ad<"20000201" and "725"/32-36. ccls. and (resum\$3 with beginning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:25
S11 0	1	@ad<"20000201" and "725"/32-36. ccls. and (interrupt\$4 with entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:26
S11 1	48	@ad<"20000201" and "725"/32-36. ccls. and (replay\$3 entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:26

EAST Search History

S11 2	0	@ad<"20000201" and "725"/32-36. ccls. and (replay\$3 near3 entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:26
S11 3	0	@ad<"20000201" and "725"/32-36. ccls. and (replay\$3 with entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:26
S11 4	2	@ad<"20000201" and "725"/32-36. ccls. and (play\$3 with entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:28
S11 5	1	@ad<"20000201" and "725"/\$.ccls. and ((play\$3 or replay\$3) with entirety with beginning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:29
S11 6	1	@ad<"20000201" and "725"/\$.ccls. and ((play\$3 or replay\$3) with entirety with start\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:30
S11 7	30	@ad<"20000201" and ((ad or advertisement or commercial) same (interrupt\$3 with (play\$3 or replay\$3 or resum\$3 or restart\$3) with (beginning or start\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:03
S11 8	3	@ad<"20000201" and 725/32-36. ccls. and ((prevent\$3 or restrict\$3) with (chang\$3 or switch\$3) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:04